



【GX1タイプ】




【GX1Fタイプ】シート面なしタイプ




ホース	ねじ	コード	品名	H	B	C	L			CL	
6	R1/8	6404652	GX1-0402	14	11	6	43			24	
	R1/4	6403132	GX1-04	17	13	6	45			26	
	R1/4	6428728	GX1F-04	17	13	6	45			26	
	R1/4	6423475	GX1-04 SUS(280K)	17	13	6	45			26	
	R3/8	6405442	GX1-0406	19	15	6	47			28	
9	R1/4	6407284	GX1-0604	19	13	6	45			26	
	R3/8	6403133	GX1-06	19	15	6	47			28	
	R3/8	6428729	GX1F-06	19	15	6	47			28	
	R3/8	6421207	GX1-06 SUS(210K)	19	15	6	47			28	
	R3/8	6432477	GX1-06 S316(210K)	19	15	6	47			28	
	R1/2	6405443	GX1-0608	22	18	8	52			33	
12	R1/4	6420217	GX1-0804	22	13	10	58			29	
	R3/8	6420216	GX1-0806	22	15	10	60			31	
	R1/2	6420218	GX1-08	22	18	10	63			34	
	R1/2	6428730	GX1F-08	22	18	10	63			34	
	R1/2	6422284	GX1-08 SUS(280K)	22	18	10	63			34	
	R3/4	6420215	GX1-0812	27	20	8	65			36	
15	R1/2	6424696	GX1-1008	30	18	11	68			39	
	R3/4	6421021	GX1-1012	30	20	11	70			41	
19	R1/2	6424775	GX1-1208	30	18	11	79			41	
	R3/4	6420720	GX1-12	30	20	11	81			43	
	R3/4	6428731	GX1F-12	30	20	11	81			43	
	R3/4	6424852	GX1-12 SUS(210K)	30	20	11	81			43	
	R3/4	6424774	GX1-12 S45C	30	20	11	81			43	
	R1	6425566	GX1-1216	36	22	10	80			42	
25	R3/4	6424890	GX1-1612	36	20	13	92			46	
	R1	6420790	GX1-16	36	22	13	94			48	
	R1	6428732	GX1F-16	36	22	13	94			48	
	R1	6424990	GX1-16 SUS(210K)	36	22	13	94			48	
	R1	6426461	GX1B-16	36	22	13	94			48	S45C, 内径小

CL: ホース切断時に差し引く長さ(参考値)




ホース	ねじ	コード	品名	H	B	C	L			CL	
6	G1/8B	6404653	GX2-0402	14	11	6	43			24	
	G1/4B	6405444	GX2-04	17	13	6	45			26	
	G1/4B	6424534	GX2-04 SUS(280K)	17	13	6	45			26	
	G1/4B	6404648	GX2-025-04	19	25	6	57			38	
	G1/4B	6404804	GX2-035-04	19	35	6	67			48	
	G1/4B	6431830	GX2-035-04 H17	17	35	6	67			48	
	G3/8B	6405445	GX2-0406	19	15	6	47			28	
9	G1/4B	6420222	GX2-0604	19	13	6	45			26	
	G3/8B	6405446	GX2-06	19	15	6	47			28	
	G3/8B	6424570	GX2-06 SUS(210K)	19	15	6	47			28	
	G3/8B	6403134	GX2-038-06	22	38	6	70			51	
	G3/8B	6400586	GX2-080-06	22	80	6	112			93	
	G1/2B	6404654	GX2-0608	22	18	8	52			33	
	12	G3/8B	6420220	GX2-0806	22	15	10	60			31
G1/2B		6420221	GX2-08	22	18	10	63			34	
G1/2B		6424621	GX2-08 SUS(280K)	22	18	10	63			34	
G1/2B		6420223	GX2-045-08	22	45	10	90			61	
G1/2B		6434086	GX2-045-08 H27	27	45	8	90			61	
G3/4B		6420219	GX2-0812	27	20	8	65			36	
15	G3/4B	6421024	GX2-1012	30	20	11	70			41	
19	G3/4B	6420721	GX2-12	30	20	11	81			43	
	G3/4B	6424853	GX2-12 SUS(210K)	30	20	11	81			43	
	G3/4B	6434338	GX2-12 クロゾメ	30	20	11	81			43	
	G3/4B	6420722	GX2-050-12	30	50	11	109			71	
	G1B	6425567	GX2-1216	36	22	10	80			42	
25	G3/4B	6425692	GX2-1612	36	2	13	92			46	
	G1B	6420791	GX2-16	36	22	13	94			48	
	G1B	6424991	GX2-16 SUS(210K)	36	22	13	94			48	
	G1B	6425584	GX2-050-16	36	50	13	122			76	

CL:ホース切断時に差し引く長さ(参考値)




ホース	ねじ	コード	品名	H	B	L				CL	
6	Rc1/4	6421539	GX3-04	19	18	44				25	
9	Rc3/8	6421542	GX3-06	22	19	45				26	
12	Rc1/2	6420224	GX3-08	27	22	59				30	
15	Rc3/4	6424702	GX3-1012	36	24	63				34	
19	Rc3/4	6424780	GX3-12	36	24	74				36	
25	Rc1	6425716	GX3-16	41	27	86				40	

CL:ホース切断時に差し引く長さ(参考値)




ホース	ねじ	コード	品名	H1	H2	A	B	C	L	CL	
6	G1/8	6403135	GX4-0402	14	14	7	14.5	6	47	27	
	G1/4	6403136	GX4-04	19	17	8.5	16	6	48	29	
	G1/4	6423473	GX4-04 SUS(280K)	19	17	8.5	16	6	48	29	
	<del>G1/4</del>	<del>6421596</del>	<del>GX4-04 S45C</del>	<del>19</del>	<del>17</del>	<del>8.5</del>	<del>16</del>	<del>6</del>	<del>48</del>	<del>29</del>	2017生産中止
	G3/8	6405447	GX4-0406	22	19	9.5	19	6	51	32	
9	G1/4	6405448	GX4-0604	19	19	8.5	16	6	48	29	
	G3/8	6403137	GX4-06	22	19	9.5	19	6	51	32	
	G3/8	6421208	GX4-06 SUS(210K)	22	19	9.5	19	6	51	32	
	G3/8	6429324	GX4-06 S316(210K)	22	19	9.5	19	6	51	32	
	G1/2	6405449	GX4-0608	27	22	11	21.5	8	56	36	
12	G3/8	6420226	GX4-0806	22	22	9.5	19	10	64	35	
	G1/2	6420340	GX4-08	27	22	11	21.5	10	67	38	
	G1/2	6423476	GX4-08 SUS(280K)	27	22	11	21.5	10	67	38	
	G1/2	6424029	GX4-08 S45C	27	22	11	21.5	10	67	38	
	G3/4	6420225	GX4-0812	36	27	12.5	23	8	68	39	
15	G1/2	6424188	GX4-1008	27	27	11.0	21.5	9	69	39	
	G3/4	6421025	GX4-1012	36	30	12.5	23	11	73	44	
19	G1/2	6424187	GX4-1208	27	27	11	21.5	8	79	41	
	G3/4	6420723	GX4-12	36	30	12.5	23	11	84	46	
	G3/4	6424855	GX4-12 SUS(210K)	36	30	12.5	23	11	84	46	
	G3/4	6423864	GX4-12 S45C	36	30	12.5	23	11	84	46	
	G1	6420724	GX4-1216	41	36	12.5	25.5	10	84	46	
25	G3/4	6424186	GX4-1612	36	36	12.5	23.0	13	95	49	
	G1	6420795	GX4-16	41	36	12.5	25.5	13	98	52	
	G1	6424992	GX4-16 SUS(210K)	41	36	12.5	25.5	13	98	52	
	G1	6423862	GX4-16 S45C	41	36	15	28	13	100	54	
	G1・1/4	6420958	GX4-1620	50	46	15.5	30.5	13	102	56	

CL:ホース切断時に差し引く長さ(参考値)




ホース	ねじ	コード	品名	H1	H2	A	F	J	L	CL
6	G1/4	6404624	GX454-04	19	-	8.5	24	44	68	49
9	G3/8	6404625	GX454-06	22	-	9.5	26	49	73	54
12	G1/2	6420231	GX454-08	27	-	10.5	31	59	94	65
	G3/4	6420230	GX454-0812	36	30	12.5	39	70	105	76
15	G3/4	6421187	GX454-1012	36	30	12.5	38	70	106	77
19	G3/4	6420729	GX454-12	36	30	12.5	38	76	123	85
25	G1	6429276	GXC 454-16	41	36	12.5	46	85	141	95

CL: ホース切断時に差し引く長さ(参考値)




ホース	ねじ	コード	品名	H1	H2	A	F	J	L	CL
6	G1/4	6404627	GX904-04	19	-	8.5	44	26	50	31
	G1/4	6428609	GX904-04 SUS(210K)	19	19	8.5	44	26	50	31
	G1/4	6404656	GX904-034-04	19	-	8.5	34	32	56	37
	G1/4	6404657	GX904-059-04	19	-	8.5	59	26	50	31
9	G3/8	6420234	GX904-06	22	-	9.5	47	34	58	39
	G3/8	6428105	GX904-06 SUS(210K)	22	22	9.5	50.5	46	70	51
	G3/8	6404658	GX904-040-06	22	-	9.5	40	40	64	45
	G3/8	6426564	GX904-067-06	22	-	9.5	67	34	58	39
12	G1/2	64202331	GX904-08	27	-	10.5	54	50	85	56
	G1/2	6434955	GX904-08 SUS(280K)	27	27	11	56	52	87	58
	G1/2	64203421	GX904-100-08	27	-	10.5	100	50	85	56
	G3/4	6420232	GX904-0812	36	30	12.5	68	52	87	58
15	G3/4	6421193	GX904-1012	36	30	12.5	68	64	100	71
19	G3/4	6420732	GX904-12	36	30	12.5	70	64	111	73
25	G1	6429234	GXC 904-16	41	36	12.5	87	68	124	78

CL: ホース切断時に差し引く長さ(参考値)



ホース	ねじ	コード	品名	H1	H2	A	B	C	L	CL		
6	G1/8	6403138	GX5-0402	14	14	4.5	14.5	6	47		27	
	G1/4	6403139	GX5-04	19	17	4.5	16	6	48		29	
	G1/4	6405223	GX5-04 SUS(280K)	19	17	4.5	16	6	48		29	
	G1/4	6433960	GX5-04 S316(210K)	19	17	4.5	16	6	48		29	
	G3/8	6405450	GX5-0406	22	19	5.5	19	6	51		32	
9	G1/4	6405451	GX5-0604	19	19	4.5	16	6	48		29	
	G3/8	6403140	GX5-06	22	19	5.5	19	6	51		32	
	G3/8	6424342	GX5-100-06	22	22	5.5	19	8	124		105	
	G3/8	6405224	GX5-06 SUS(210K)	22	19	5.5	19	6	51		32	
	G3/8	6430278	GX5-06 S316(210K)	22	19	5.5	19	6	51		32	
	<del>G3/8</del>	<del>6421598</del>	<del>GX5-06 S45C</del>	<del>22</del>	<del>19</del>	<del>5.5</del>	<del>19</del>	<del>6</del>	<del>51</del>		<del>32</del>	2017生産中止
	G1/2	6405452	GX5-0608	27	22	7.5	21.5	8	56		36	
12	G3/8	6420228	GX5-0806	22	22	5.5	19	10	64		35	
	G1/2	6407647	GX5-08	27	22	7.5	21.5	10	67		38	
	G1/2	6424343	GX5-108-08	27	27	7.5	21.5	7	143		114	
	G1/2	6422285	GX5-08 SUS(280K)	27	22	7.5	21.5	10	67		38	
	G1/2	6420229	GX5-08 S45C	27	22	7.5	21.5	10	67		38	
	G1/2	6430776	GX5BT-08	27	22	7.5	21.5	10	67		38	肉厚タイプ
	G3/4	6420227	GX5-0812	36	27	9	23	8	68		39	
15	G1/2	6421034	GX5-1008	27	27	7.5	21.5	9	69		39	
	G3/4	6421028	GX5-1012	36	30	9	23	11	73		44	
19	G1/2	6420727	GX5-1208	27	27	7.5	21.5	8	79		41	
	G3/4	6420725	GX5-12	36	30	9	23	11	84		46	
	G3/4	6424224	GX5-12 SUS(210K)	36	30	9	23	11	84		46	
	G3/4	6423863	GX5-12 S45C	36	30	9	23	11	84		46	
	G3/4	6430778	GX5BT-12	36	30	9	23	11	84		46	肉厚タイプ
	G1	6420728	GX5-1216	41	36	9.5	25.5	10	84		46	
25	G3/4	6420960	GX5-1612	36	36	9	23	13	95		49	
	G1	6420959	GX5-16	41	36	9.5	25.5	13	98		52	
	G1	6424225	GX5-16 SUS(210K)	41	36	9.5	25.5	13	98		52	
	G1	6423865	GX5-16 S45C	41	36	10	28	13	100		54	
	G1	6430780	GX5BT-16	41	36	9.5	25.5	13	98		52	肉厚タイプ
	G1・1/4	6425501	GX5-1620	50	46	12.5	30.5	13	102		56	


CL:ホース切断時に差し引く長さ(参考値)



ホース	ねじ	コード	品名	H1	H2	A	F	J	L	CL
6	G1/4	6400565	GX455-04	19	-	4.5	24	44	68	49
9	G3/8	6404626	GX455-06	22	-	5.5	26	49	73	54
	G3/8	6431749	GX455-06 SUS(210K)	22	22	5.5	29	58	82	63
	G1/2	6407168	GX455-0608	27	-	7	31	62	86	66
12	G1/2	6420235	GX455-08	27	-	7	34	61	96	68
15	G1/2	6421189	GX455-1012	36	30	9	38	70	106	77
19	G3/4	6420730	GX455-12	36	30	9	38	76	123	85
25	G1	6429210	GXC 455-16	41	36	9.5	46	85	141	95


CL: ホース切断時に差し引く長さ(参考値)





ホース	ねじ	コード	品名	H1	H2	A	F	J	L		CL	
6	G1/4	6400566	GX905-04	19	-	4.5	44	26	50		31	
	G1/4	6404628	GX905-034-04	19	-	4.5	34	32	56		37	
	G1/4	6421599	GX905-059-04	19	-	4.5	59	26	50		31	
	G1/4	6434159	GX905-100-04	19	-	4.5	100	26	50		31	
	G1/4	6430696	GX905-04 SUS	19	17	4.5	44	26	50		31	
9	G3/8	6400567	GX905-06	22	-	5.5	47	34	58		39	
	G3/8	6420236	GX905-040-06	22	-	5.5	40	40	64		45	
	G3/8	6421600	GX905-067-06	22	-	5.5	67	34	58		39	
	G3/8	6426683	GX905-075-06	22	-	5.5	75	54	78		59	
	G3/8	6421601	GX905-100-06	22	-	5.5	100	34	58		39	
	G1/2	6407170	GX905-0608	27	-	7	55	37	61		42	
12	G1/2	64076481	GX905-08	27	-	7	55	50	85		56	
	G1/2	6428198	GX905-08 SUS(280K)	27	27	7.5	56	52	87		58	
	G1/2	6424634	GX905-075-08	27	-	7	75	50	85		56	
15	G3/4	6421191	GX905-1012	36	30	9	70	64	100		71	
	G1/2	6430905	GX905-1008	27	-	7	55	50	86		57	
19	G1/2	6428140	GX905-1208	27	-	7	55	50	97		59	
	G3/4	6420796	GX905-12	36	30	9	70	64	111		73	
	G3/4	6434469	GX905-100-12	36	30	9	100	64	111		73	
	G3/4	6434471	GX905-170-12	36	30	9	170	64	111		73	
	G1	6420797	GX905-1216	41	36	9.5	76	64	111		73	
25	G1	6429211	GXC 905-16	41	36	9.5	87	68	124		78	
	<del>G1</del>	<del>6429302</del>	<del>GXC 905-1612</del>	<del>36</del>	<del>30</del>	<del>9</del>	<del>70</del>	<del>64</del>	<del>120</del>		<del>74</del>	2017生産中止

CL:ホース切断時に差し引く長さ(参考値)



ホース	ねじ	コード	品名	H	ΦA	B	C	L	CL	適用Oリング
6	G1/4B	6404637	GX2R-04	19	11	11.5	6	44	24	P11
	G1/4B	6436287	GX2R-04C9	19	11	11.5	9	47	27	P11
	G3/8B	6400575	GX2R-0406	22	14	11.5	8	46	26	P14
	G1/4B	6430331	GX2R-04 SUS	19	11	11.5	6	44	24	P11
9	G1/4B	6428820	GX2R-0604	19	11	11.5	6	44	24	P11
	G3/8B	6404638	GX2R-06	22	14	11.5	6	44	24	P14
	G3/8B	6436288	GX2R-06C10	22	14	11.5	10	48	28	P14
	G3/8B	6430098	GX2R-06 SUS (210K)	22	14	11.5	6	44	24	P14
	G1/2B	6404812	GX2R-0608	27	18	15.5	8	50	30	P18
12	G1/2B	6420295	GX2R-08	27	18	15.5	8	61	32	P18
15	G1/2B	6425565	GX2R-1008	27	18	15.5	12	66	36	P18
	G3/4B	6421092	GX2R-1012	36	23.7	16	10.5	64	35	P24
19	G3/4B	6420885	GX2R-12	36	23.7	16	10.5	75	37	P24
	G1B	6420886	GX2R-1216	41	29	18	12	78	40	P29
25	G1B	6421071	GX2R-16	41	29	18	13	89	43	P29
	G1・1/4B	6421073	GX2R-1620	50	38	20	13	91	45	P38

CL:ホース切断時に差し引く長さ(参考値)