



ホース	ねじ	コード	品名	H	ΦA	B	C	D	L	CL
6	M12P1.5	6404794	GXK6-04M12	17	6.2	7	12	6	44	25
	M14P1.5	6425781	GXK6-04M14	17	6.2	7	12	6	44	25
	M14P1.5	6404805	GXK8-04M14	17	8.2	7.5	11	6	43	24
	M16P1.5	6404639	GXK10-04M16	17	10.2	7	12	6	44	25
	M18P1.5	6426087	GXK12-04M18	19	12.2	7	12	6	44	25
9	M14P1.5	6426099	GXK8-06M14	19	8.2	7.5	11	6	43	24
	M16P1.5	6404641	GXK10.2-06M16	19	10.4	7	12	6	44	25
	M18P1.5	6404642	GXK12-06M18	19	12.2	7	12	8	46	27
	M20P1.5	6424178	GXK12-06M20	22	12.2	7	12	8	46	27
	M20P1.5	6421059	GXK14-06M20	22	14	7.5	13	6	45	26
	M22P1.5	6426848	GXK14-06M22H24	24	14	7.5	13	8	47	28
	M22P1.5	6423541	GXK14-06M22	27	14	7.5	13	8	47	28
	M22P1.5	6404643	GXK15-06M22	27	15.2	7.5	13	8	47	28
12	M20P1.5	6422372	GXK12-08M20	22	12.2	7	12	10	57	28
	M22P1.5	6420262	GXK15-08M22	27	15.2	7.5	13	8	58	29
	M24P1.5	6420261	GXK16-08M24	27	16.2	8	14	8	59	30
	M24P1.5	6420314	GXK17-08M24	27	17.5	8	14	8	59	30
	M26P1.5	6424636	GXK17-08M26	27	17.5	8	14	8	59	30
	M26P1.5	6420260	GXK18-08M26	27	18.2	8	14	8	59	30
	M28P1.5	6425485	GXK20-08M28	30	20.2	10	14	11	62	33
	M30P1.5	6421934	GXK21-08M30	32	21.9	11	15	8	60	31
15	M30P1.5	6420259	GXK22-08M30	32	22.2	11	15	8	60	31
	M26P1.5	6424707	GXK18-10M26	30	18.2	8	14	11	64	35
	M28P1.5	6421080	GXK20-10M28	30	20.2	10	14	11	64	35
	M30P2	6433006	GXK20-10M30P2	36	20.2	10	14	10	62	32
	M30P1.5	6424708	GXK21-10M30	36	21.9	11	15	10	63	33
	M30P1.5	6421081	GXK22-10M30	36	22.2	11	15	10	63	33
	M30P2	6432721	GXK22-10M30P2	36	22.2	7.5	14	10	62	32
	M34P1.5	6421083	GXK25-10M34	36	25.2	12	16	10	64	34
19	M28P1.5	6420874	GXK20-12M28	30	20.2	10	14	11	75	37
	M30P1.5	6428195	GXK21-12M30	36	21.9	11	15	10	73	35
	M30P1.5	6420875	GXK22-12M30	36	22.2	11	15	10	73	35
	M30P2	6436141	GXK22-12M30P2	36	22	8	14	10	72	34
	M34P1.5	6420876	GXK25-12M34	36	25.2	12	16	10	74	36
	M36P1.5	6420877	GXK28-12M36	41	28.2	14	18	10	76	38
	M36P2	6434011	GXK25-12M36P2	41	25.2	12	18	10	76	38
25	M36P1.5	6429695	GXK27-16M36	41	27.4	14	18	13	89	43
	M36P1.5	6421013	GXK28-16M36	41	28.2	14	18	13	89	43
	M36P2	6432723	GXK28-16M36P2	41	28.2	7.5	14	13	85	39
	M40P1.5	6421014	GXK30-16M40	46	30.2	14	18	13	89	43
	M42P2	6432353	GXK30-16M42P2	46	30.2	14	18	13	89	43
	M45P1.5	6421015	GXK34-16M45	50	34.2	14	18	13	89	43
	M45P1.5	6421016	GXK35-16M45	50	35.2	14	18	13	89	43
	M45P2	6432732	GXK35-16M45P2	50	35.2	10.5	16	13	87	41
	M45P1.5	6421017	GXK35-16M45H55	55	35.2	14	18	13	89	43

CL:ホース切断時に差し引く長さ(参考値)



ホース	パイプ径	コード	品名	φD	B	C	L			CL	
6	φ6	6424484	GXP-04D06	6	20	4.5	51			31	
	φ6	6434796	GXP-030-04D06	6	30	4.5	61			41	
	φ8	6421566	GXP-04D08	8	25	4.5	56			36	
	φ10	6421567	GXP-04D10	10	25	4.5	56			36	
	φ12	6424485	GXP-04D12	12	27	4.5	58			38	
9	φ10	6421569	GXP-06D10	10	25	4.5	56			36	
	φ12	6421570	GXP-06D12	12	27	4.5	58			38	
	φ12	6425359	GXP-050-06D12	12	50	4.5	81			61	
	φ15	6421572	GXP-06D15	15	25	4.5	56			36	
	φ16	6421573	GXP-06D16	16	25	4.5	56			36	
12	φ12	6433946	GXP-08D12	12	27	4.5	69			40	
	φ15	6424665	GXP-08D15	15	25	4.5	67			38	
	φ16	6424666	GXP-08D16	16	30	4.5	72			43	
	φ16	6425361	GXP-050-08D16	16	50	4.5	92			63	
	φ18	6422919	GXP-08D18	18	30	4.5	72			43	
	φ20	6427825	GXP-08D20	20	30	4.5	72			43	
	φ22	6426975	GXP-08D22	22	34	4.5	76			47	2017生産中止
15	φ18	6425469	GXP-050-10D18	18	50	6	94			65	
	φ20	6425360	GXP-050-10D20	20	50	6	94			65	2017生産中止
	φ22	6425216	GXP-10D22	22	34	6	78			49	
	φ22	6435732	GXP-050-10D22	22	50	6	94			65	
19	φ22	6428754	GXP-12D22	22	34	6	88			50	
	φ28	6429259	GXP-12D28	28	50	8	107			69	
25	φ28	6426345	GXP-16D28	28	50	8	116			70	
	φ35	6429260	GXP-16D35	35	50	8	116			70	

CL:ホース切断時に差し引く長さ(参考値)



DIN規格 L(ライト)シリーズ


ホース	ねじ	コード	品名	H1	H2	ΦD	A	B	C	L	CL	適用Oリング
6	M12P1.5	6425585	GX5D6-04M12	19	17	6	2.5	16	6	48	29	—
	M14P1.5	6401687	GX5D08-04M14	19	17	8	3	18	6	50	31	AS568-010
	M16P1.5	6401691	GX5D010-04M16	22	19	10	3.5	19	6	51	32	AS568-011
	M18P1.5	6422374	GX5D012-04M18	22	19	12	3	21	6	53	34	AS568-012
9	M16P1.5	6401692	GX5D010-06M16	22	19	10	3.5	19	6	51	32	AS568-011
	M18P1.5	6434221	GX5D012-06M18	22	19	12	1	21	6	53	34	AS568-012
	M22P1.5	6433636	GX5D015-06M22	27	22	15	2.5	23	8	57	38	AS568-014
12	M22P1.5	6433638	GX5D015-08M22	27	22	15	2.5	23	10	68	39	AS568-014
	M26P1.5	6420237	GX5D018-08M26	36	30	18	3	23	11	71	42	AS568-016
	M30P2	6433010	GX5D022-08M30P2	36	30	21.5	3.5	25.5	11	74	45	2017生産中止
15	M26P1.5	6421037	GX5D018-10M26	36	30	18	3	23	11	73	44	AS568-016
	M30P2.0	6425484	GX5D022-10M30P2	36	30	21.5	3.5	25.5	11	76	46	AS568-019
19	M30P2.0	6425966	GX5D022-12M30P2	36	30	21.5	3.5	25.5	11	86	48	AS568-019
	M36P2.0	6434010	GX5D028-12M36P2	46	36	27.8	4	26	10	84	46	AS568-022
25	M36P2.0	6430729	GX5D028-16M36P2	46	36	27.8	4	26	13	98	52	AS568-022
	M45P2	6433012	GX5D035-16M45P2	60	50	34.8	4	31	13	102	56	AS568-027

DIN規格 S(ヘビー)シリーズ

ホース	ねじ	コード	品名	H1	H2	ΦD	A	B	C	L	CL	適用Oリング
6	M14P1.5	6402129	GX5D6-04M14	19	17	6	2.5	18	6	50	31	—
	M16P1.5	6422373	GX5D08-04M16	22	19	8	3.5	19	6	51	32	AS568-010
	M18P1.5	6425402	GX5D010-04M18	22	19	10	2.5	21	6	53	34	AS568-011
9	M16P1.5	6434745	GX5DOS8-06M16	22	19	8	3.5	19	6	52	32	AS568-010
	M18P1.5	6425448	GX5D010-06M18	22	19	10	2.5	21	6	53	34	AS568-011
	M20P1.5	6422375	GX5D012-06M20	27	22	12	3	21.5	8	56	36	AS568-012
	M22P1.5	6424473	GX5D014-06M22	27	22	14	4.5	23	8	57	38	AS568-014
	M24P1.5	6401695	GX5D016-06M24	32	27	16	4	25	8	59	40	AS568-015
12	M24P1.5	6420239	GX5D016-08M24	32	27	16	4	25	8	70	41	AS568-015
	M30P2	6433016	GX5DOS20-08M30P2	36	30	19	2	23.5	11	72	43	AS568-017
15	M24P1.5	6433472	GX5DOS16-10M24	32	27	16	4	25	8	71	42	AS568-015
	M30P2.0	6430327	GX5DOS20-10M30P2	36	30	19	2	23.5	11	74	44	AS568-017
19	M36P2.0	6426464	GX5D25-12M36P2	46	36	25	4.5	26	10	84	46	—
	M36P2.0	6430592	GX5DOS25-12M36P2	46	36	25	4.5	26	10	84	46	AS568-021
	M30P2.0	6430706	GX5DOS20-12M30P2	36	30	19	2	23.5	11	81	43	AS568-017
25	M36P2.0	6430727	GX5DOS25-16M36P2	46	36	25	4.5	26	13	98	52	AS568-021
	M42P2	6433013	GX5DOS30-16M42P2	50	46	29.8	4	29	13	100	54	AS568-024


金具タイプ No. 5DO (喰込み仕様)

喰込み用メートルメスネジ12° オスシート オリングシール



喰い込み継手

ホース	ねじ	コード	品名	H1	H2	ΦD	A	B	C	L	CL	適用リング
6	M12P1.5	6425585	GX5D6-04M12	19	17	6	2.5	16	6	48	29	—
	M14P1.5	6401687	GX5DO8-04M14	19	17	8	3	18	6	50	31	AS568-010
	M16P1.5	6401691	GX5DO10-04M16	22	19	10	3.5	19	6	51	32	AS568-011
	M18P1.5	6422374	GX5DO12-04M18	22	19	12	3	21	6	53	34	AS568-012
9	M16P1.5	6401692	GX5DO10-06M16	22	19	10	3.5	19	6	51	32	AS568-011
	M18P1.5	6434221	GX5DOL12-06M18	22	19	12	1	21	6	53	34	AS568-012
	M22P1.5	6433636	GX5DOL15-06M22	27	22	15	2.5	23	8	57	38	AS568-014
	M24P1.5	6401695	GX5DO16-06M24	32	27	16	4	25	8	59	40	AS568-015
	M20P1.5	6424474	GX5DO14-06M20	27	22	14	3	21.5	8	56	36	AS568-013
12	M22P1.5	6433638	GX5DOL15-08M22	27	22	15	2.5	23	10	68	39	AS568-014
	M26P1.5	6420237	GX5DO18-08M26	36	30	18	3	23	11	71	42	AS568-016
	M24P1.5	6420239	GX5DO16-08M24	32	27	16	4	25	8	70	41	AS568-015
	M30P1.5	6424404	GX5DO22-08M30	36	30	21.5	3.5	25.5	11	74	45	AS568-019
15	M26P1.5	6421037	GX5DO18-10M26	36	30	18	3	23	11	73	44	AS568-016
	M28P1.5	6421040	GX5DO20-10M28	36	30	20	4	21	11	71	42	AS568-017
	M30P1.5	6421043	GX5DO22-10M30	36	30	21.5	3.5	25.5	11	76	46	AS568-019
	M34P1.5	6421045	GX5DO25-10M34	41	36	25	4.5	26	10	74	44	AS568-020
	M24P1.5	6433472	GX5DOS16-10M24	32	27	16	4	25	8	71	42	AS568-015
19	M28P1.5	6420799	GX5DO20-12M28	36	30	20	4	21	11	82	44	AS568-017
	M30P1.5	6420800	GX5DO22-12M30	36	30	21.5	3.5	25.5	11	86	48	AS568-019
	M34P1.5	6420801	GX5DO25-12M34	41	36	25	4.5	26	10	84	46	AS568-020
	M36P1.5	6420802	GX5DO28-12M36	46	36	27.8	4	26	10	84	46	AS568-022
25	M36P1.5	6420966	GX5DO28-16M36	46	36	27.8	4	26	13	98	52	AS568-022
	M40P1.5	6420967	GX5DO30-16M40	50	46	29.8	4	29	13	100	54	AS568-024
	M45P1.5	6424463	GX5DO34-16M45	55	50	33.8	4	31	13	102	56	AS568-026
	M45P1.5	6420968	GX5DO35-16M45	55	50	34.8	4	31	13	102	56	AS568-027




DIN規格 L(ライト)シリーズ

ホース	ねじ	コード	品名	H1	H2	A	φD	F	J	L	CL	適用Oリング
6	M14P1.5	6431227	GX455DOL8-04M14	19	-	3	8.0	26	46	70	50	AS568-010
9	M18P1.5	6431225	GX455DOL12-06M18	22	-	3	12	28	51	75	55	AS568-012
12	M22P1.5	6431229	GX455DOL15-08M22	27	-	2.5	15	36	63	98	69	AS568-014
15	M26P1.5	6434090	GX455DOL18-10M26	36	30	3	18	37	65	102	73	AS568-016
	M30P1.5	6434468	GX455DOL22-10M30P1.5	36	30	3.5	22	40	78	114	85	AS568-019
	M30P2	6434021	GX455DOL22-10M30P2	36	30	3.5	22	40	78	114	85	AS568-019
19												
25												

DIN規格 S(ヘビー)シリーズ

ホース	ねじ	コード	品名	H1	H2	A	φD	F	J	L	CL	適用Oリング
6												
9												
12												
15	M30P2	6433384	GX455DOS20-10M30P2	36	30	2	19	40	78	114	85	AS568-017
19	M30P2.0	6430710	GX455DOS20-12M30P2	36	30	2	19	40	78	124	86	AS568-017
25												




DIN規格 L(ライト)シリーズ

ホース	ねじ	コード	品名	H1	H2	A	φD	F	J	L	CL	適用Oリング
6	M14P1.5	6427093	GX905D8-04M14	19	—	3	8	39	26	50	31	—
	M14P1.5	6430936	GX905DOL8-04M14	19	—	3	8	39	26	50	31	AS568-010
	M16P1.5	6431179	GX905DOL10-04M16	22	—	3.5	10	47	26	50	31	AS568-011
9	M16P1.5	6433024	GX905DOL10-06M16	22	19	3.5	10	47	29	53	34	AS568-011
	M18P1.5	6430997	GX905DOL12-06M18	22	—	3	12	49	34	58	39	AS568-012
12	M22P1.5	6430369	GX905DOL15-08M22	27	—	2.5	15	57	52	87	58	AS568-014
	M26P1.5	6434092	GX905DOL18-10M26	36	30	3	18	64.5	52	88	59	AS568-016
	M26P1.5	6431010	GX905DOL18-08M26	36	30	3	18	64.5	52	87	58	AS568-016
15	M26P1.5	6427953	GX905D18-10M26	36	30	3	18	72.5	64	100	71	—
	M30P2.0	6431014	GX905DOL22-10M30P2	36	30	3.5	21.5	71.5	64	100	71	AS568-019
19	M36P2.0	6431012	GX905DOL28-12M36P2	46	36	4	27.8	75.5	64	111	73	AS568-022
25	M36P2.0	6431047	GX905DOL28-16M36P2	46	36	4	27.8	75.5	64	120	74	AS568-022

DIN規格 S(ヘビー)シリーズ

ホース	ねじ	コード	品名	H1	H2	A	φD	F	J	L	CL	適用Oリング
6	M14P1.5	6427091	GX905D6-04M14	19	—	3.4	6.4	39	26	50	31	—
	M16P1.5	6431181	GX905DOS8-04M16	22	—	3.5	8	47	26	50	31	AS568-010
9	M18P1.5	6434743	GX905DOS10-06M18	22	22	2.5	10	49	34	58	39	AS568-011
	M20P1.5	6431074	GX905DOS12-06M20	27	22	3	12	49.5	34	58	39	AS568-012
	M22P1.5	6428166	GX905DOS14-06M22	27	—	4.5	14	57	37	61	42	AS568-014
12	M24P1.5	6430371	GX905DOS16-08M24	32	27	4	16	67.0	52	87	58	AS568-015
15	M30P2.0	6431049	GX905DOS20-10M30P2	36	30	2	19	70.5	64	100	71	AS568-017
19	M30P2.0	6430708	GX905DOS20-12M30P2	36	30	2	19	70.5	54	101	63	AS568-017
	M36P2.0	6436081	GX905DOS25-12M36P2	46	36	4.5	25	75.5	64	101	73	AS568-021
25	M36P2.0	6436333	GX905DOS25-16M36P2	46	36	4.5	25	75.5	64	120	74	AS568-021
	M42P2.0	6436365	GX905DOS30-16M42P2	50	46	4	29.8	98	76	132	86	AS568-024



喰込み継手

ホース	ねじ	コード	品名	H1	H2	A	φD	F	J	L	CL	適用Oリング
6	M14P1.5	6427093	GX905D8-04M14	19	—	3	8	39	26	50	31	—
	M14P1.5	6430936	GX905DOL8-04M14	19	—	3	8	39	26	50	31	AS568-010
	M16P1.5	6431179	GX905DOL10-04M16	22	—	3.5	10	47	26	50	31	AS568-011
9	M16P1.5	6433024	GX905DOL10-06M16	22	19	3.5	10	47	29	53	34	AS568-011
	M18P1.5	6430997	GX905DOL12-06M18	22	—	3	12	49	34	58	39	AS568-012
12	M22P1.5	6430369	GX905DOL15-08M22	27	—	2.5	15	57	52	87	58	AS568-014
	M26P1.5	6431010	GX905DOL18-08M26	36	30	3	18	65	52	87	58	AS568-016
	M24P1.5	6430371	GX905DOS16-08M24	32	27	4	16	67	52	87	58	AS568-015
15	M26P1.5	6427953	GX905D18-10M26	36	—	3	18	73	64	100	71	—
	M28P1.5	6430363	GX905DOK20-10M28	36	30	4	20	71	64	100	71	—
	M30P1.5	6431933	GX905DOK22-10M30P1.5	36	30	3.5	21.5	74	64	100	71	—
19												
25												