



ホース	ねじ	コード	品名	H	B	C	L			CL	
6	7/16-20UNF	6422183	GX2U-0407	17	14.5	6	47			27	
	7/16-20UNF	6404813	GX2U-028-0407	17	28	6	60			41	
	1/2-20UNF	6421552	GX2U-0408	17	15	6	47			27	
	9/16-18UNF	6404619	GX2U-0409	17	15	6	47			28	
9	1/2-20UNF	6421554	GX2U-0608	19	15	6	47			27	
	9/16-18UNF	6400563	GX2U-0609	19	15	6	47			28	
	9/16-18UNF	6404620	GX2U-034-0609	19	34	6	66			47	
	5/8-18UNF	6421556	GX2U-0610	19	15	6	47			28	
	3/4-16UNF	6400564	GX2U-0612	22	17	6	49			30	
	7/8-14UNF	6424274	GX2U-0614	27	19	8	53			34	
	7/8-14UNF	6435905	GX2U-0614 H24	24	19	8	53			34	
12	9/16-18UNF	6420299	GX2U-0809	22	15	10	60			31	
	3/4-16UNF	6420298	GX2U-0812	22	17	10	62			33	
	3/4-16UNF	6420301	GX2U-040-0812	22	40	10	85			56	
	7/8-14UNF	6420297	GX2U-0814	27	19	8	64			35	
	7/8-14UNF	6425698	GX2U-0814H24	24	19	8	64			35	
15	7/8-14UNF	6421095	GX2U-1014	27	19	9	66			37	
	1-1/16-12UN	6421096	GX2U-1017	30	20	11	70			41	
19	1-1/16-12UN	6420888	GX2U-1217	30	20	11	81			43	
	1-3/16-12UN	6420889	GX2U-1219	36	22	10	80			42	2017生産中止
	1-5/16-12UNF	6425872	GX2U-1221	36	22	11	83			45	
25	1-1/16-12UN	6423987	GX2U-1617	36	20	10	89			43	2017生産中止
	1-5/16-12UNF	6424891	GX2U-1621	36	22	13	94			48	

CL: ホース切断時に差し引く長さ(参考値)




ホース	ねじ	コード	品名	H1	H2	A	B	C	L	CL	
6	7/16-20UNF	6400571	GX4U-0407	17	17	8.5	16	6	48	29	
	7/16-20UNF	6423957	GX4U-0407 NH19	19	17	8.5	16	6	48	29	
	1/2-20UNF	6404631	GX4U-0408	19	17	8.5	16	6	48	29	
	9/16-18UNF	6404632	GX4U-0409	19	17	9.5	18.5	6	51	31	
	5/8-18UNF	6422369	GX4U-0410	22	17	9.5	19	6	51	32	2017生産中止
9	7/16-20UNF	6404633	GX4U-0607	19	19	8.5	16	6	48	29	
	1/2-20UNF	6404634	GX4U-0608	19	19	8.5	16	6	48	29	
	9/16-18UNF	6400572	GX4U-0609	19	19	9.5	18.5	6	51	31	
	9/16-18UNF	6404635	GX4U-0609NH22	22	19	9.5	18.5	6	51	31	
	5/8-18UNF	6400573	GX4U-0610	22	19	9.5	19	6	51	32	
	3/4-16UNF	6400574	GX4U-0612	27	22	11	21.5	8	56	36	
	3/4-16UNF	6422630	GX4U-0612NH22	22	19	10.5	21	6	53	34	
	3/4-16UNF	6404640	GX4U-0612H24	24	24	10	21	6	53	34	
7/8-14UNF	6404636	GX4U-0614	27	22	11	22	8	56	36		
12	9/16-18UNF	6424615	GX4U-0809	22	22	9.5	18.5	8	64	35	
	3/4-16UNF	6420105	GX4U-0812	27	22	11	21.5	10	67	38	
	3/4-16UNF	6425045	GX4U-0812H24	24	24	10	21.0	8	66	37	
	3/4-16UNF	6421595	GX4U-0812 S45C	27	22	11	21.5	10	67	38	
	7/8-14UNF	6420302	GX4U-0814	27	22	11	22	10	67	38	
	7/8-14UNF	6422631	GX4U-0814NH25	25	22	11.5	22.5	8	68	39	
	1-1/16-12UN	6424630	GX4U-0817	36	27	12.5	23	8	68	39	
15	3/4-16UNF	6421098	GX4U-1012	27	27	11	21.5	9	69	39	
	7/8-14UNF	6421097	GX4U-1014	27	27	11	21.5	9	69	39	
	1-1/16-12UN	6421203	GX4U-1017	36	30	12.5	23	11	73	44	
	1-1/16-12UN	6428734	GX4U-1017H32	32	30	13	25	11	75	46	
	1-3/16-12UN	6428599	GX4U-1019	41	36	15	28	10	76	47	
19	7/8-14UNF	6428608	GX4U-1214	27	27	11	21.5	9	80	42	
	1-1/16-12UN	6420890	GX4U-1217	36	30	13.5	24	11	85	47	
	1-1/16-12UN	6420891	GX4U-1217H32	32	30	13	25	11	86	48	
	1-3/16-12UN	6424788	GX4U-1219	41	36	15	28	10	88	50	
	1-5/16-12UN	6424789	GX4U-1221	41	36	15	28	10	86	48	
25	1-5/16-12UN	6421079	GX4U-1621	41	36	15	28	13	100	54	
	1-5/16-12UN	6421082	GX4U-1621 S45C	41	36	12.5	25.5	13	98	52	
	1-5/16-12UN	6426879	GX4U-1621NH38	38	36	12.5	27	13	99	53	
	1-5/8-12UN	6425421	GX4U-1626	50	46	16	30	13	102	56	

CL: ホース切断時に差し引く長さ(参考値)




ホース	ねじ	コード	品名	H1	H2	A	F	J	L	CL
6	7/16-20UNF	6404621	GX454U-0407	17	-	8.5	24	44	68	49
	1/2-20UNF	6421558	GX454U-0408	19	-	8.5	24	44	68	49
	9/16-18UNF	6404622	GX454U-0409	19	-	9.5	27	46	71	51
9	9/16-18UNF	6404623	GX454U-0609	19	-	9.5	26	49	73	53
	9/16-18UNF	6424109	GX454U-0609NH22	22	-	9.5	26	49	73	53
	5/8-18UNF	6421561	GX454U-0610	22	-	9.5	26	49	73	54
	3/4-16UNF	6407166	GX454U-0612	27	27	11	29	52	76	56
	3/4-16UNF	6425950	GX454U-0612NH22	22	-	10.5	27	50	75	55
12	3/4-16UNF	6420106	GX454U-0812	27	-	11	32	59	94	66
	3/4-16UNF	6433369	GX454U-0812 NH24(210K)	24	-	10	31	59	101	65
	3/4-16UNF	6425963	GX454U-060-0812	27	-	11	60	87	122	94
	7/8-14UNF	6420304	GX454U-0814	27	-	11.5	34	61	96	67
	7/8-14UNF	6425952	GX454U-0814NH25	25	-	11.5	34	61	96	67
15	7/8-14UNF	6421195	GX454U-1014	32	30	12.5	38	70	106	77
	1-1/16-12UN	6424716	GX454U-1017	36	30	12.5	38	70	106	77
	1-1/16-12UN	6433064	GX454U-1017 NH32	32	30	13	41	74	110	81
19	1-1/16-12UN	6424822	GX454U-1217	36	30	12.5	38	76	122	85
	1-1/16-12UN	6420892	GX454U-1217H32	32	30	13	39	78	125	87
25	1-5/16-12UN	6429214	GXC 454U-1621	41	36	12.5	46	85	141	95

CL: ホース切断時に差し引く長さ(参考値)



ホース	ねじ	コード	品名	H1	H2	A	F	J	L	CL	
6	7/16-20UNF	6401032	GX904U-0407	17	-	8.5	37	26	50	31	
	7/16-20UNF	6432343	GX904U-0407 NH19	19	-	8.5	37	26	50	31	
	7/16-20UNF	6425496	GX904U-060-0407	17	-	8.5	60	26	50	31	
	1/2-20UNF	6404806	GX904U-0408	19	-	8.5	37	26	50	31	
	9/16-18UNF	6404630	GX904U-0409	19	-	9.5	45	26	50	31	
	9/16-18UNF	6420309	GX904U-066-0409	19	-	9.5	66	26	50	31	
9	7/16-20UNF	6428462	GX904U-0607	19	19	8.5	44	34	58	39	
	1/2-20UNF	6407169	GX904U-0608	19	19	8.5	44	34	58	39	
	9/16-18UNF	6401033	GX904U-0609	19	-	9.5	50	34	58	39	
	9/16-18UNF	6424110	GX904U-0609NH22	22	-	9.5	50	34	58	39	
	9/16-18UNF	6407055	GX904U-040-0609	19	-	9.5	40	40	64	45	
	9/16-18UNF	6426682	GX904U-040-0609 NH22	22	-	9.5	40	40	64	45	
	9/16-18UNF	6425704	GX904U-065-0609	19	-	9.5	65	34	58	39	
	9/16-18UNF	6425641	GX904U-075-0609	19	-	9.5	75	54	78	59	
	9/16-18UNF	6407056	GX904U-085-0609	19	-	9.5	85	34	58	39	
	5/8-18UNF	6404807	GX904U-0610	22	-	9.5	50	34	58	39	
	5/8-18UNF	6425378	GX904U-065-0610	22	-	9.5	65	34	58	39	
	3/4-16UNF	6407167	GX904U-0612	27	27	11	51	34	58	39	
	3/4-16UNF	6425951	GX904U-0612NH22	22	-	10.5	51	34	58	39	
	3/4-16UNF	6425401	GX904U-0612NH24	24	-	10	51	34	58	39	
12	3/4-16UNF	64203081	GX904U-0812	27	-	11	55	50	85	56	
	3/4-16UNF	64201071	GX904U-050-0812	27	-	11	50	50	85	56	
	3/4-16UNF	6425962	GX904U-070-0812	27	-	11	70	50	85	56	
	3/4-16UNF	64203061	GX904U-180-0812	27	-	11	180	50	85	56	
	3/4-16UNF	6433371	GX904U-0812 NH24(210K)	24	-	10	54	50	92	56	
	7/8-14UNF	64203071	GX904U-0814	27	-	11.5	61	50	85	56	
	7/8-14UNF	6425953	GX904U-0814NH25	25	-	11.5	61	50	85	56	
15	7/8-14UNF	6421194	GX904U-1014	32	30	12.5	69	64	100	71	
	1-1/16-12UN	6424742	GX904U-1017	36	30	12.5	70	64	100	71	
	1-1/16-12UN	6432062	GX904U-1017 NH32	32	30	13	72	64	100	71	
19	1-1/16-12UN	6420893	GX904U-1217	36	30	12.5	70	64	111	73	
	1-1/16-12UN	6420894	GX904U-1217H32	32	30	13	72	64	111	73	
	1-5/16-12UN	6425871	GX904U-1221	41	36	12.5	74	64	111	73	
25	1-5/16-12UN	6429360	GXC 904U-1621	41	36	12.5	87	68	124	78	
	1-5/16-12UN	6432926	GX904U-1621NH38	38	36	12.5	80	64	120	74	

CL: ホース切断時に差し引く長さ(参考値)



ホース	ねじ	コード	品名	H	ΦA	B	C	L	CL	適用Oリング
6	7/16-20UNF	6424185	GX2RU-0407	17	9.25	9.5	6	42	22	AS568-904
	9/16-18UNF	6424184	GX2RU-0409	19	12.2	10.3	6	43	23	AS568-906
9	9/16-18UNF	6407053	GX2RU-0609	19	12.2	10.3	6	43	23	AS568-906
	3/4-16UNF	6426298	GX2RU-0612							AS568-908
12	3/4-16UNF	6422368	GX2RU-0812	24	16.8	11.5	8	57	28	AS568-908
	7/8-14UNF	6426299	GX2RU-0814	27	19.6	12.5	8	58	29	AS568-910
	1-1/16-12UN	6426400	GX2RU-0817	32	24.0	15.5	10.5	63	34	AS568-912
15	7/8-14UNF	6426300	GX2RU-1014	32	19.6	12.5	10.5	61	31	AS568-910
	1-1/16-12UN	6426301	GX2RU-1017	32	24.0	15.5	10.5	64	34	AS568-912
19	1-1/16-12UN	6426195	GX2RU-1217	36	24.0	16	10.5	75	37	AS568-912
25	1-5/16-12UN	6426194	GX2RU-1621	41	30.6	16	13	87	41	AS568-916

CL: ホース切断時に差し引く長さ(参考値)